

FRESH'N
SQUEEZE®

Citrus Juicer



Fresh'n Squeeze®

The logo features a stylized graphic of three leaves in green and orange above the brand name 'Fresh'n Squeeze' in a green, rounded font.

The Perfect Squeeze™

The Perfect Squeeze™

Really fresh, really good and really profitable.

Image Builder

The ultimate point-of-sale image builder, freshly squeezed orange juice and lemonade made in view of your customer fresh every day is perfect for hotels, restaurants, coffee shops, grocery stores and juice bars.

So, if your plans call for offering a fresh and natural product like fresh squeezed orange juice or fresh squeezed lemonade, let your consumers experience juices made with the Fresh'n Squeeze Citrus Juicer.

Whole Fruit Extraction Principle

JBT extraction technology provides customers with a compact juicer that uses the same patented "whole fruit extraction principle" used in our renowned industrial extractors.

JBT extractors, the global leader in citrus juice processing technology, currently process over 75% of citrus juices produced worldwide.



Optional hopper



Juice Quality

The basic principle of instantaneous separation is the major reason for the superior quality juice delivered by the Fresh'n Squeeze Citrus Juicer.

The design of our juicer instantaneously separates juice from peel, seed and albedo components which, if allowed to stay in contact with the juice, have an adverse effect on flavor.

Juice Yield

The Fresh'n Squeeze Citrus Juicer yields up to 50% more juice per unit of fruit than any other point-of-sale juicer.

Our unique design allows the juicer to process the widest range of fruit sizes and all citrus varieties including oranges, grapefruit, lemons, limes and tangerines.


Citrus Juicer Specifications

TECHNICAL SPECIFICATIONS (METRIC SHOWN IN BRACKETS)	
THROUGHPUT	10 fruit per minute
FRUIT CAPACITY WITHOUT HOPPER	15-20 Fruit
APPROXIMATE JUICE PRODUCTION	1500 - 1700 ounces/46 quarts (43 liters) per hour
TYPICAL FRUIT COUNT	Per 40 lb. (18 kg) carton, 80-138
ELECTRICAL REQUIREMENTS	0,23 kw, 100/110/115 volts, 50/60 Hz, 20 amp service, single phase
SAFETY FEATURES	Completely enclosed, safety interlock switches
FINISH	Stainless steel with clear lexan juicing window
WEIGHT	200 lbs. (90 kg)
WASTE CONTAINER	Holds peel from 30-40 Fruit
AVERAGE FRUIT SIZE	2-1/2" (63,5 mm) to 3-1/4" (82,5 mm)


OPTIONAL ACCESSORIES
Strainer tubes to vary pulp levels
Mobile cart with dispenser shelf
Standard Hopper: 1/2 box 50 fruit, 20 lbs. 60 fruit
Large Capacity Hopper: 1 box 100 fruit, 40 lbs. 120 fruit




Copyright © John Bean Technologies Corporation




Standard Hopper



Large Capacity Hopper



Note: Add 4" (10 cm) to overall height for Citrus Juicer with legs.



WE ARE YOUR SINGLE SOURCE FOR PROFITABLE PROCESSING SOLUTIONS

JBT is a leading provider of integrated food processing solutions. From single machines to complete processing lines, we enhance value and capture quality, nutrition and taste in food products. With a local presence on six continents, JBT can quickly provide our customers and partners in the food processing industry with the know-how, service, and support needed to succeed in today's competitive marketplace.

JBT LIQUID FOODS

FRESH PRODUCE TECHNOLOGIES | FRESH-CUT, ROBOTICS, STEAMING | FRUIT AND VEGETABLE PROCESSING | SECONDARY PROCESSING | ASEPTIC SYSTEMS | FILLING AND CLOSING | IN-CONTAINER STERILIZING | TRAY SEALING | HIGH-PRESSURE PROCESSING | POWDER PROCESSING | TUNA PROCESSING

OUR BRANDS



North America

John Bean Technologies Corporation
400 Fairway Avenue
Lakeland, FL 33801
USA
Phone: +1 863 683 5411
Fax: +1 863 680 3672

Latin America

JBT de México S de RL de CV
Camino Real a San Andrés Cholula No. 2612
Col. San Bernardino Tlaxcalancingo
72820 San Andrés Cholula, Puebla
México
Phone: +52 222 329 4902
Fax: +52 222 329 4903

South America

John Bean Technologies
Máq. e Equip. Ind. Ltda.
Av. Eng Camilo Dinucci 4605
14808-900 Araraquara, São Paulo
Brazil
Phone: +55 16 3301 2000
Fax: +55 16 3301 2144

Europe

John Bean Technologies SpA
Via Mantova 63/A
43122 Parma
Italy
Phone: +39 0521 908 411
Fax: +39 0521 460 897

John Bean Technologies Foodtech Spain S.L.
Autovía A-2, Km 34,400 - Edificio 1 y 3
28805 Alcala de Henares
Madrid, Spain
Phone: +34 91 304 0045
Fax: +34 91 327 5003

South Africa

John Bean Technologies (Pty) Ltd.
Koper Street
Brackenfell
Cape Town, South Africa 7560
Phone: +27 21 982 1130
Fax: +27 21 982 1136

Asia Pacific

John Bean Technologies (Thailand) Ltd.
No. 159/26 Serm-Mit Tower 16th Floor
Room no. 1602-3 Sukhumvit 21 Road
Klongtoey Nua Sub-district, Wattana District
Bangkok 10110 Thailand
Phone: +66 2 257 4000
Fax: +66 2 261 4099



We're with you, right down the line.™

hello@jbt.com | freshnsqueeze.com | jbt.com



Subject to change without notice. 11•19 4206-EN