


Rotary Granular Filler



Gentle Handling and High Precision
Filling of Bits

High-Precision Granular Filler

JBT's high precision granular filler with individual gates ensures the highest filling accuracy and product quality when filling solid-type food products, like vegetables, fruit, pet food and more.

Individual spring-loaded fill gates

Spring-loaded gates, constructed of an engineered polymer, are located under the lower measuring cups. The individual gates are rugged in construction and mounted with a quick release clamp.

As compared to conventional dead plate fillers, individual fill gates offer gentle product handling, higher filling accuracy, hygienic operation and easy cleaning of the filler.

No-Container/No-fill system

Thanks to the use of an individual gate per filling pocket, product loss during production and start-up can be reduced to practically zero. The electro-pneumatic No-Container/No-Fill system detects the presence of each container avoiding product fill in case of absence.

Product quality


As compared to conventional dead plate fillers, the use of individual gates avoids excessive rolling of the product and minimizes product damage.

Fill accuracy

JBT is well-known for supplying robust equipment complying to the highest industry standards. All granular filler parts have been constructed to the strongest design and highest precision. The unique gate design and material selection combined with the precisely machined filler top plate will result in the highest, long-term filling accuracy.

Fill volume adjust-in-motion system

The XL-series granular filler is standard equipped with an in-motion fill volume system that allows fill volume correction without stopping the filler. A check-weigher for fully automated volume adjustment can also be integrated.



Vacuum-Assisted High-Precision Granular Filler

JBT has launched another innovative solution to fill sticky particles for premium beverages with fruit bits: the Vacuum-Assisted High-Precision Granular Filler (VAHP).

Pre-dosing of high-value sticky particles

Our vacuum-assisted granular filler was specially developed to accurately pre-dose small volumes of high-value sticky particles. These particles (coconut jelly, coconut meat, grass jelly, bird nest jelly, aloe vera jelly, etc.) are added to beverages in order to enhance mouthfeel, taste and nutritional value. The vacuum-assisted granular filler yields high fill precision and assures minimum give-away and maximum product savings. The gentle product handling results in a high quality product.

Vacuum-assisted product hopper

The product hopper is executed with a vacuum system to eliminate the carrying liquid and assure an accurate pre-fill of each pocket. Before filling the bits into the container, any excess carrier liquid is removed to guarantee the highest fill accuracy of the bits.

Pocket blow-out system

An air blow-out system assures that every measuring pocket is completely emptied into the container.



COUNT ON JBT TO HELP PROTECT YOUR INVESTMENT

JBT's greatest value in PRCARE® services comes from preventing unexpected costs through smart, purposeful, and timely maintenance based on unmatched knowledge and expertise. PRCARE service packages are offered as a maintenance agreement in various service levels, depending on your production and cost management requirements.



JBT DIVERSIFIED FOOD & HEALTH

FRESH PRODUCE TECHNOLOGIES | FRESH-CUT, ROBOTICS, STEAMING | FRUIT AND VEGETABLE PROCESSING | SECONDARY PROCESSING | ASEPTIC SYSTEMS | FILLING AND CLOSING | IN-CONTAINER STERILIZING | TRAY SEALING | SECONDARY PACKAGING | HIGH-PRESSURE PROCESSING | POWDER PROCESSING | TUNA PROCESSING

OUR BRANDS



North America

John Bean Technologies Corporation
2300 Industrial Avenue
Madera CA 93639
USA
Phone: +1 559 661 3200
Fax: +1 559 661 3156

Latin America

JBT de México S de RL de CV
Camino Real a San Andrés Cholula No. 2612
Col. San Bernardino Tlaxcalancingo
72820 San Andrés Cholula, Puebla
México
Phone: +52 222 329 4902
Fax: +52 222 329 4903

South America

John Bean Technologies Máq.
e Equip. Ind. Ltda.
Av. Eng Camilo Dinucci 4605
14808-900 Araraquara, São Paulo
Brazil
Phone: +55 16 3301 2000
Fax: +55 16 3301 2144

Europe

John Bean Technologies NV
Breedstraat 3
9100 Sint-Niklaas
Belgium
Phone: +32 3 780 1211
Fax: +32 3 777 7955

Asia Pacific

John Bean Technologies (Thailand) Ltd.
No. 2525 FYI Center Building 2, 9th Floor
Unit No. 2/901-2/903, Rama IV Road
Klongtoei, Bangkok 10110
Thailand
Phone: +66 (0) 2257 4000
infoasia-jbtfoodtech@jbt.com

South Africa

John Bean Technologies (Pty) Ltd.
Koper Street
Brackenfell
Cape Town, South Africa 7560
Phone: +27 21 982 1130
Fax: +27 21 982 1136



We're with you, right down the line.™

hello@jbt.com | jbt.com

